

XEROX.

Fax Cover Sheet

Urgent Delivery

RECEIVED
CENTRAL FAX CENTER

MAR 10 2005

To

Quana Mashell Grainger
United States Patent and Trademark Office
Group Art Unit. 2852
Confirmation No.: 7626

Phone

571.272.2135

Date

3/10/2005

Fax

703.872.9306

Time

Page(s)

8

From

Lloyd F. Bean, II
Xerox Corporation
OGC/Patent Department
XRX2-20A
Rochester, NY 14644
Phone: 585.423.4520
Fax: 585.423.5240

RE: Attorney Docket No.: A3099-US-NP
U.S. Serial Application No.: 10/696,160

Response to Office Action mailed 12/17/2004.

Please Note: This facsimile message may contain information which is privileged, confidential, and exempt from disclosure under applicable laws and is intended only for the use of the individual named above and others who have been specifically authorized to receive it. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of the communication is strictly prohibited. If you have received this communication in error, please notify immediately by telephone Cathy Whitney at (585)423.5764. Xerox will reimburse you for your telephone expense.

50708 (2/2004)

RECEIVED
CENTRAL FAX CENTER

MAR 10 2005

Patent Application
Attorney Docket No. A3099-US-NP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Michael F. Zona

Application No.: 10/696,160

Filed: October 28, 2003

Examiner: Quana Mashell Grainger

Art Unit: 2852

Confirmation No.: 7626

Title: SPACED BIASED ROLL CHARGING
MEMBER HAVING CLIPPED AC INPUT VOLTAGE

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

CERTIFICATE OF TRANSMISSION


I hereby certify that this
correspondence is being facsimile
transmitted to the Patent and
Trademark Office Fax No. 703-872-
9306 on

March 10, 2005

(Date of deposit)

Cathy Whitney

(Name of applicant, assignee,
or Registered Representative)


(Signature)

March 10, 2005

(Date of Signature)

AMENDMENT UNDER 37 C.F.R. 1.111

In response to the Office Action mailed December 17, 2004,
please amend the above-entitled application as follows: